

CORONADO 25

Sailboat Specifications

Hull Type:	Fin w/spade rudder
Rigging Type:	Masthead Sloop
LOA:	25.00 ft / 7.62 m
LWL:	20.05 ft / 6.11 m
S.A. (reported):	299.00 ft ² / 27.78 m ²
Beam:	8.00 ft / 2.44 m
Displacement:	4,500.00 lb / 2,041 kg
Ballast:	2,150.00 lb / 975 kg
Max Draft:	3.67 ft / 1.12 m
Construction:	FG
Ballast Type:	Lead
First Built:	1966
Last Built:	1975
Builder:	Coronado Yachts Russell Marine Ltd.
Designer:	Frank W. Butler

Sailboat Calculations

S.A. / Displ.:	17.60
Bal. / Displ.:	47.78
Disp. / Len:	249.24
Comfort Ratio:	20.23
Capsize Screening Formula:	1.94
S#:	2.28

Hull Speed:	6.00 kn
Pounds/Inch Immersion:	573.13 pounds/inch

Rig and Sail Particulars

I:	31.50 ft / 9.60 m
J:	9.00 ft / 2.74 m
P:	27.75 ft / 8.46 m
E:	11.90 ft / 3.63 m
S.A. Fore:	141.75 ft ² / 13.17 m ²
S.A. Main:	165.11 ft ² / 15.34 m ²
S.A. Total (100% Fore + Main Triangles):	306.86 ft ² / 28.51 m ²
S.A./Displ. (calc.):	18.06
Est. Forestay Length:	32.76 ft / 9.99 m

Sailboat Organizations

Designer:	Frank W. Butler
Builders:	Coronado Yachts Russell Marine Ltd.

Additional Notes

A keel centerboard version was also available.

Draft (max.): 4.50' / 1.37m Draft (min.): 2.50' / 0.76m

Displacement: 4300 lbs./ 1950 kgs. Ballast: 1800 lbs. / 816 kgs.